



# Tree Inventory Report

---

Dublin City Council


29 November 2022


Report created by ludovic.beaumont



Dublin City Council  
Comhairle Cathrach Bhaile Átha Cliath

Overview Photos





Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Middle Aged (Within second third of lifespan)
Condition	Felled
Proximity	
Street	West Road
Stem Diameter	36cm-40cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Tarmac

Species	
Count	1
Vegetation Type	Broadleaf
Species	Gleditsia triacanthos

Maintenance
-------------

Comment	
Surveyor	ludovic.beaumont
Comment Date	29-Nov-2022
Comment	Main root on wall side had totally decayed.



Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Middle Aged (Within second third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Building Number	78
Street	West Road
Stem Diameter	36cm-40cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Tarmac

Species	
Count	1
Vegetation Type	Broadleaf
Species	Gleditsia triacanthos

Maintenance
-------------

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Cavity/Decay Stem

Considerations	
Consideration	t. Dead wood

Considerations	
Consideration	s. Unsuitable for Location

Considerations	
Consideration	t. Excessive lean

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Middle Aged (Within second third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Building Number	76
Street	West Road
Stem Diameter	36cm-40cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Tarmac

Species	
Count	1
Vegetation Type	Broadleaf
Species	Gleditsia triacanthos

Maintenance	
-------------	--

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Unstable rootplate


Considerations	
Consideration	t. Cavity/Decay Stem

Considerations	
Consideration	t. Dead wood

Considerations	
Consideration	s. Unsuitable for Location



Overview Photos







Inventory	
Surveyor	ludovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Middle Aged (Within second third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Building Number	74
Street	West Road
Stem Diameter	36cm-40cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Tarmac

Species	
Count	1
Vegetation Type	Broadleaf
Species	Gleditsia triacanthos

Maintenance	
-------------	--

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	s. Unsuitable for Location

Considerations	
Consideration	t. Unstable rootplate

Considerations	
Consideration	t. Roots damaged

Considerations	
Consideration	t. Dead wood

Considerations	
Consideration	t. Dieback/Poor foliage

Comment	
Surveyor	ludovic.beaumont
Comment Date	29-Nov-2022
Comment	Damage to roots s ystem

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Middle Aged (Within second third of lifespan)
Condition	Felled
Proximity	OPPOSITE
Building Number	56
Street	West Road
Stem Diameter	36cm-40cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Tarmac

Species	
Count	1
Vegetation Type	Broadleaf
Species	Gleditsia triacanthos

Maintenance
-------------

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Unstable rootplate

Considerations	
Consideration	s. Unsuitable for Location

Comment	
Surveyor	ludovic.beaumont
Comment Date	29-Nov-2022
Comment	Tree was moving when slightly pushed. Base entirely decayed (brown rot).

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Middle Aged (Within second third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	OPPOSITE
Building Number	73
Street	WEST ROAD
Stem Diameter	21cm-25cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Pavement



Species	
Count	1
Vegetation Type	Broadleaf
Species	Gleditsia triacanthos

Maintenance
-------------

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Dead wood

Considerations	
Consideration	s. Unsuitable for Location

Considerations	
Consideration	t. Dieback/Poor foliage

Considerations	
Consideration	t. Hangers in Canopy

Considerations	
Consideration	t. Unstable rootplate

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Middle Aged (Within second third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	OPPOSITE
Building Number	71
Street	West Road
Stem Diameter	36cm-40cm (@1.5m)
Spread	6-9m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Pavement

Species	
Count	1
Vegetation Type	Broadleaf
Species	Gleditsia triacanthos

Maintenance
-------------

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Dead wood

Considerations	
Consideration	s. Unsuitable for Location

Considerations	
Consideration	t. Cavity/Decay Stem

Considerations	
Consideration	t. Dieback/Poor foliage

Considerations	
Consideration	t. Unstable rootplate

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Young (Within first third of life span)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	OPPOSITE
Building Number	68
Street	West Road
Stem Diameter	21cm-25cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Pavement

Species	
Count	1
Vegetation Type	Broadleaf
Species	Acer platanoides

Maintenance
-------------

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Dead wood


Considerations	
Consideration	s. Unsuitable for Location

Considerations	
Consideration	t. Unstable rootplate



Unique ID: 09MH  
Carpinus betulus Fastigiata

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Young (Within first third of life span)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Street	West Road
Stem Diameter	21cm-25cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Pavement

Species	
Count	1
Vegetation Type	Broadleaf
Species	Carpinus betulus Fastigiata

Maintenance

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Unstable rootplate

Considerations	
Consideration	t. Dead wood

Considerations	
Consideration	s. Unsuitable for Location

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Young (Within first third of life span)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Building Number	Roundabout
Street	West Road
Stem Diameter	21cm-25cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Pavement

Species	
Count	1
Vegetation Type	Broadleaf
Species	Carpinus betulus Fastigiata

Maintenance
-------------

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Unstable rootplate

Considerations	
Consideration	s. Unsuitable for Location



Unique ID: 09MK  
*Carpinus betulus* Fastigiata

---

Overview Photos





Inventory	
Surveyor	ludovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Young (Within first third of life span)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Building Number	ROUNDAABOUT
Street	West Road
Stem Diameter	21cm-25cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Pavement

Species	
Count	1
Vegetation Type	Broadleaf
Species	Carpinus betulus Fastigiata

Maintenance	
-------------	--

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Unstable rootplate

Considerations	
Consideration	t. Crack on Limb

Considerations	
Consideration	s. Unsuitable for Location

Overview Photos



Inventory	
Surveyor	ludovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Middle Aged (Within second third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Building Number	66
Street	West Road
Stem Diameter	21cm-25cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Pavement

Species	
Count	1
Vegetation Type	Broadleaf
Species	Gleditsia triacanthos

Maintenance
-------------

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Dead wood


Considerations	
Consideration	t. Cavity/Decay Stem

Considerations	
Consideration	t. Unstable rootplate

Considerations	
Consideration	t. Dieback/Poor foliage

Considerations	
Consideration	s. Unsuitable for Location

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Young (Within first third of life span)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	OPPOSITE
Building Number	64
Street	West Road
Stem Diameter	21cm-25cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Pavement

Species	
Count	1
Vegetation Type	Broadleaf
Species	Acer platanoides

Maintenance
-------------

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Unstable rootplate

Considerations	
Consideration	s. Unsuitable for Location



Overview Photos





Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Young (Within first third of life span)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	OPPOSITE
Building Number	63 64
Street	West Road
Stem Diameter	21cm-25cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Pavement

Species	
Count	1
Vegetation Type	Broadleaf
Species	Gleditsia triacanthos

Maintenance	
-------------	--



Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Unstable rootplate

Considerations	
Consideration	t. Dieback/Poor foliage

Considerations	
Consideration	s. Unsuitable for Location

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Young (Within first third of life span)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	OPPOSITE
Building Number	63
Street	West Road
Stem Diameter	21cm-25cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Pavement

Species	
Count	1
Vegetation Type	Broadleaf
Species	Gleditsia triacanthos

Maintenance	
-------------	--

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	


Considerations	
Consideration	t. Dieback/Poor foliage

Considerations	
Consideration	t. Unstable rootplate

Considerations	
Consideration	t. Dead wood

Considerations	
Consideration	s. Unsuitable for Location

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Young (Within first third of life span)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Building Number	56
Street	West Road
Stem Diameter	16cm-20cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Pavement

Species	
Count	1
Vegetation Type	Broadleaf
Species	Acer platanoides

Maintenance
-------------

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Unstable rootplate

Considerations	
Consideration	s. Unsuitable for Location


Comment	
Surveyor	ludovic.beaumont
Comment Date	29-Nov-2022
Comment	Tree was moving when lightly pushed. Felled it immediately. Rootball picture shows very little structural roots growth since planted.



Overview Photos







Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Young (Within first third of life span)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	OPPOSITE
Building Number	57
Street	West Road
Stem Diameter	36cm-40cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Pavement

Species	
Count	1
Vegetation Type	Broadleaf
Species	Gleditsia triacanthos

Maintenance	
-------------	--

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	s. Unsuitable for Location

Considerations	
Consideration	t. Unstable rootplate

Considerations	
Consideration	t. Roots damaged

Considerations	
Consideration	t. Cavity/Decay Stem

Unique ID: 09MS  
Gleditsia triacanthos

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Middle Aged (Within second third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	OPPOSITE
Building Number	ST Barnabas Gardens
Street	West Road
Stem Diameter	36cm-40cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Tarmac

Species	
Count	1
Vegetation Type	Broadleaf
Species	Gleditsia triacanthos

Maintenance

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Unstable rootplate

Considerations	
Consideration	s. Unsuitable for Location

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Middle Aged (Within second third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	OPPOSITE
Building Number	55
Street	West Road
Stem Diameter	31cm-35cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Tarmac



Species	
Count	1
Vegetation Type	Broadleaf
Species	Gleditsia triacanthos

Maintenance
-------------

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Unstable rootplate

Considerations	
Consideration	s. Unsuitable for Location

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Middle Aged (Within second third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	OPPOSITE
Building Number	50
Street	West Road
Stem Diameter	31cm-35cm (@1.5m)
Spread	3-6m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Tarmac

Species	
Count	1
Vegetation Type	Broadleaf
Species	Gleditsia triacanthos


Maintenance
-------------

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Unstable rootplate

Considerations	
Consideration	t. Unstable rootplate

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	29-Nov-2022
Trunk Type	Single
Age	Middle Aged (Within second third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	OPPOSITE
Building Number	49
Street	West Road
Stem Diameter	36cm-40cm (@1.5m)
Spread	3-6m (Diameter)
Height	10 to 15m
Category	U - Trees with serious defect/decline
Committee	
Site	Tarmac

Species	
Count	1
Vegetation Type	Broadleaf
Species	Acer platanoides

Maintenance	
-------------	--

Requirements	
Date Added	29-Nov-2022
Priority	3b. (within 14 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Damage to roots

Considerations	
Consideration	s. Unsuitable for Location